



Photo 1, needlerush (*Juncus roemarianus*), 12.2 kilometers, west bank, first occurrence - 2000.



Photo 2, leather fern (*Acrostichum danaeifolium*), 12.2 kilometers, west bank island, first occurrence - 2000.



Photo 3, softstem bulrush, (*Scirpus validus*), first occurrence 1998, 14.4 kilometers, west bank - 2000.



Photo 3a, softstem bulrush, (*Scirpus validus*), first occurrence, downstream migration to 13.1 kilometers - 2000.



Photo 4, softstem bulrush/cattail (*Scirpus validus*/*Typha* spp.), 15.1 kilometers, west bank - 2000.



Photo 5, cabbage palm, (*Sabal palmetto*), 16.8 kilometers, west bank, first occurrence - 2000.



Photo 6, sand cordgrass (*Spartina bakeri*), 17.1 kilometers, west bank, first occurrence - 2000.



Photo 7, sawgrass (*Cladium jamaicense*), 17 kilometers, west bank, first occurrence - 2000.



Photo 8, live oak/ saw palmetto (*Quercus virginiana*/*Serenoa repens*) 18.5 kilometers, east bank, first occurrence - 2000.



Photo 9, wax myrtle (*Myrica cerifera*), 19 kilometers, west bank, first occurrence - 2000.



Photo 10, sand cordgrass (*Spartina bakeri*), 20.2 kilometers, west bank, last occurrence - 2000.



Photo 11, pond apple (*Annona glabra*), 18.5 kilometers, east bank, first occurrence - 2000.



Photo 12, cypress (*Taxidum distichum*), 22.1 kilometers, east bank, first occurrence - 2000.



Photo 13, taro (*Colocasia esculenta*), 24.4 kilometers, east bank, first occurrence - 2000.



Photo 14, red mangrove (*Rhizophora mangle*), 21.6 kilometers,  
last occurrence - 2000.



Photo 15, white mangrove (*Laguncularia racemosa*), 21.3 kilometers, east bank, last occurrence - 2000.



Photo 16, black rush (*Juncus roemarianus*), 21.3 kilometers, west bank, last occurrence - 2000.



Photo 17, red maple (*Acer rubrum*), 22.2 kilometers, east bank, first occurrence - 2000.



Photo 18, laurel oak (*Quercus laurifolia*), 22.9 kilometers, east bank, first occurrence - 2000.



Photo 19, Brazilian pepper (*Schinus terebinthifolius*), 23.3 kilometers, east bank, last occurrence - 2000.



Photo 20, swamp bay (*Persia palustris*), 23.3 kilometers, west bank, first occurrence - 2000.



Photo 21, pond apple (*Annona glabra*), last occurrence at 23.3 kilometers - 2000.



Photo 22, sawgrass/elderberry (*Cladium jamaicense/Sambucus canadensis*), 24.2 kilometers, east bank, last occurrence/first occurrence - 2000.



Photo 23, American elm, (*Ulmus americana*), first occurrence at 25.3 kilometers, photograph at 26.2 kilometers, west bank - 2000.



Photo 24, leather fern (*Acrostichum danaeifolium*), 29.4 kilometers,  
west bank, last occurrence - 2000.



Photo 25, cattail/softstem bulrush (*Typha spp./Scirpus validus*), 29.3 kilometers, east bank, last occurrence - 2000.



Photo 26, popash, (*Fraxinus caroliniana*), 25.8 kilometers, west bank, first occurrence - 2000.



Photo 27, saw palmetto (*Serenoa repens*), 25.8 kilometers, west bank, last occurrence - 2000.



Photo 28, cabbage palm (*Sabal palmetto*), 30.4 kilometers, west bank, - 2000.



Photo 29, water hickory (*Carya aquatica*), 24.2 kilometers, west bank, first occurrence - 2000.



Photo 1, transition site, upstream belt transects midline - 2000.



Photo 2, transition site I, line transect - 2000.



Photo 3, transition site I, downstream belt transects midline - 2000.



Photo 3, transition site I, downstream belt transects midline - 2000.



Photo 5, transition site II, line transect - 2000.



Photo 6, transition site II, downstream belt transects midline - 2000.



Photo 7, transition site III, upstream belt transects midline - 2000.



Photo 8, transition site III, line transect - 2000.



Photo 9, transition site III, downstream belt transects midline - 2000.